



Information Assurance Readiness Assessment

Terry Bartlett, CISSP
Readiness Assessment Team Leader
703-602-9991
terry.bartlett@osd.pentagon.mil

REPORT D	OCUMENTATION I	PAGE		Form Approved OMB No. 0704-0188
Public reporting burder for this collection of information is estibated to and reviewing this collection of information. Send comments regarding Headquarters Services, Directorate for Information Operations and Rep law, no person shall be subject to any penalty for failing to comply wit	this burden estimate or any other aspect of this coorts (0704-0188), 1215 Jefferson Davis Highway,	ellection of information, including Suite 1204, Arlington, VA	uding suggestions for reducin 22202-4302. Respondents sho	g this burder to Department of Defense, Washington ould be aware that notwithstanding any other provision of
1. REPORT DATE (DD-MM-YYYY) 05-06-2000	2. REPORT TYPE		3. DATES	COVERED (FROM - TO)) to xx-xx-2000
4. TITLE AND SUBTITLE			5a. CONTRACT	NUMBER
Information Assurance Readiness Assessm	nent		5b. GRANT NUI	MBER
Unclassified			5c. PROGRAM I	ELEMENT NUMBER
6. AUTHOR(S)			5d. PROJECT N	UMBER
Bartlett, Terry;			5e. TASK NUMI	BER
			5f. WORK UNIT	
7. PERFORMING ORGANIZATION NA Booz Allen & Hamilton 8283 Greensboro Drive McLean, VA22102	ME AND ADDRESS		8. PERFORMING NUMBER	G ORGANIZATION REPORT
9. SPONSORING/MONITORING AGEN	CY NAME AND ADDRESS		10 SPONSOR/N	MONITOR'S ACRONYM(S)
Department of Defense				MONITOR'S REPORT
12. DISTRIBUTION/AVAILABILITY ST APUBLIC RELEASE ,	FATEMENT			
13. SUPPLEMENTARY NOTES				
14. ABSTRACT				
Presentation on IA Readiness for DIAP. 15. SUBJECT TERMS				
IATAC Collection; DIAP IA Metrics; IA I	Readiness: DoD: DIAP			
16. SECURITY CLASSIFICATION OF:		l18.	19 NAME OF F	RESPONSIBLE PERSON
	OF ABSTRACT Public Release	NUMBER	Fenster, Lynn Ifenster@dtic.m	
a. REPORT b. ABSTRACT c. THI Unclassified Unclassified Unclas		1	19b. TELEPHO International Area C Area Code Telepho 703767-9007 DSN 427-9007	code ne Number
				Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std Z39.18

REPORT DOCUMENTATION PAGE


Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 6/5/2000	3. REPORT TYPE AND DATES COVERED Report 6/5/2000				
4. TITLE AND SUBTITLE Information Assurance	Readiness Assessment	5. FUI	IDING NUMBERS			
6. AUTHOR(S) Bartlett, Terry						
7. PERFORMING ORGANIZATION Booz Allen & Hamilton 8283 Greensboro Drive McLean, VA 22102	NAME(S) AND ADDRESS(ES)		FORMING ORGANIZATION ORT NUMBER			
9. SPONSORING / MONITORING Department of Defense	AGENCY NAME(S) AND ADDRESS		ONSORING / MONITORING GENCY REPORT NUMBER			
11. SUPPLEMENTARY NOTES						
12a. DISTRIBUTION / AVAILABIL Approved for public re	ITY STATEMENT elease; Distribution un	limited	12b. DISTRIBUTION CODE A			
13. ABSTRACT (Maximum 200 V	Vords)		·			
Presentation on IA Rea	adiness for DIAP.					
14. SUBJECT TERMS IATAC Collection, DIAE	P IA Metrics, IA Readin	ess, DoD, DIAP	15. NUMBER OF PAGES			
			16. PRICE CODE			
17. SECURITY	18. SECURITY	19. SECURITY CLASSIFICATIO				
CLASSIFICATION OF REPORT UNCLASSIFIED	CLASSIFICATION OF THIS PAGE UNCLASSIFIED	OF ABSTRACT UNCLASSIFIED	UNLIMITED			

NSN 7540-01-280-5500


Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39-18 298-102





Assessment Framework







IA Readiness Assessment Tasking



- > ASD(C3I) DIAP Implementation Plan (12 Feb 99)
 - Functional Evaluation and Integration Team
 - ➤ Consists of Eight Functional Areas
 - ➤ Develop IA Performance Goals, Standards, Metrics
 - ➤ Provide Oversight of Respective Functions
 - ➤ Ensure Coherent Integration Throughout DoD
 - Readiness Assessment Function
 - ➤ Member of Functional Evaluation and Integration Team
 - ➤ Provide Data Needed to Accurately Assess IA Readiness
 - ➤IA Requirements Identification and Generation
 - ➤ Vulnerability/Threat Analysis, Assessment
 - ➤ Defense-Wide Standards and Readiness Reporting Systems



DIAP Goal & Objectives



- Goal: Ensure a Comprehensive, Coherent IA Program Across the DoD
- Objective: Assess the state of DoD's IA Posture
- > Tasks:
 - Ensure IA assessment is incorporated into the DoD Exercise program
 - Develop business case and methodology for IA damage assessment
 - > Establish appropriate metrics



DIAP Goal & Objectives



> Sub-Tasks:

- Develop appropriate and useful metrics
- > Validate metrics
- Cost out the metrics collection processes
- Obtain approval from appropriate sources for metrics collection
- Deploy DOD-wide process for reporting IA metrics



Readiness Assessment Goal & Objectives



- ➤ Goal: Operationalize IA Readiness
- Objectives:
 - ① Define IA Readiness in Operational Context
 - 2 Establish Metrics for Measuring IA Readiness
 - 3 Establish Standard Criteria for Applying IA Readiness Metrics
 - Establish IA Readiness Assessment Process
 - ⑤ Integrate IA Readiness Assessment into Existing DOD Processes



Challenges



- ➤ IA Effectiveness is Not Currently Measured
 - Must structure IA Readiness Assessment to ensure sufficient protection of the information component of our war fighting resources
 - Must Build IA assessment into existing DOD processes
- > IA has Limited Visibility in the PPBS Process
 - Must make IA Readiness fiscally defensible
 - Must make an effective Business Case for IA



Challenges



- Breaking New Ground with IA Readiness
- Primary Stakeholders Must Work Together
 - Operational Readiness Community
 - Information Assurance Community
- Everyone's Looking for Solutions
 - No Commonly Accepted IA Metrics
 - > No Commonly Accepted IA Assessment Process
 - ➤ Continuing Debate Over Process Review Vs Audit
- There is No Perfect Solution
 - Process Must Include Iterative Review and Update



Challenges



- Information Assurance Readiness Assessment Will Affect Everyone
 - Combat Forces and Combat Support Agencies
- Results Must be Accepted Throughout DOD
 - > Readiness Stakeholders and IA Stakeholders
 - Combat Forces and Combat Support Agencies



Assessment Framework




Proposed Definition of IA Readiness

"The measured ability of DOD information technology systems, embedded information technologies, and their related infrastructures to withstand incidents and attacks, and provide effective support to execution of the Department's combat and non-combat missions."



Assessment Framework Concept







Assessment Framework Concept



- ➤ To Ensure Success, Assessment Process Must Be:
 - > Consistent
 - ➤ Standard Metrics Should be Composites to Adequately Measure "Areas of Interest" Across DoD
 - Metrics Should Be Unchanging for Incorporation into Permanent Processes
 - > Flexible
 - Criteria will Apply Standard Metrics Across Diverse Environments
 - > Provides Method to Change "Content" of Metrics, but not Meaning
 - ➤ Changes to Criteria Affect Data Considerations, Not Processes
 - > Relevant
 - ➤ Should Facilitate Analysis to Forecast Capabilities, Effectiveness and Requirements
 - ➤ Metrics are Not Merely Statistics



Assessment Framework



- ➤ Examples of Widely-Used Consistent, Flexible Metrics:
 - Dow Jones Industrial Average
 - ➤ Gross Domestic Product
 - Consumer Price Index
 - Unemployment Index
- ➤ Characteristics of Example Metrics:
 - ➤ Each Metric has a Formula, or Criteria, for Its Application
 - ➤ Consists of a Quantity of Elements, Each with a Weighting Factor
 - Can Nominally Change Each Metric's Formula Without Changing Its Meaning
 - Everyone Understands What the Metrics Represent



Assessment Framework Concept




- Three Levels of Criteria Used in Notional Framework:
 - > Department Criteria
 - ➤ Statement of DoD Policy & Guidance
 - ➤ Specifies Highest-Level Parameters for Metrics
 - > Service Criteria
 - ➤ Regulations, Instructions Implementing DoD Policy
 - ➤ Applies Service Considerations To Metrics
 - > Functional Criteria
 - ➤ Affects Assets Assigned to Support Respective Functional Areas
 - Specifies Mission-Oriented Requirements & Constraints for Assessed Systems



Assessment Framework Concept







Assessment Framework Metrics Scoring



➤ Metric Scores are Same as in SORTS (C1, C2, C3, C4)

<u>Rating</u>	C-Rating	<u>Graphic</u>
Excellent Acceptable	C1 C2	: G
Marginal	C3 =	· Y
Unacceptable	C4 =	= R



Assessment Framework Metrics Map



Category	Metric	Availability	Integrity	Confidentiality	Authentication	Non-Repudiation
People	Adequacy of Critical IT/IA Staff Manning Levels	X	X	X		
•	Adequacy of Critical IT/IA Staff Proficiency	X	X	X	X	X
	Adequacy of Security Clearances for Privileged Users	X	X	X		
	Effectiveness of Information Systems Security Program	X	X	X	X	
Operations and	Adequacy of Fail Over Testing for Mission Critical Systems	X	X	X		
Training	Adequacy of Performance Measurement for Network Infrastructure and Mission Critical Systems	X	X			
	Effectiveness of Network Penetration Detection and Defense Capabilities	X	X	X	X	
	Effectiveness of Network Management Auditing Program	X	X	X	X	X
	Effectiveness of Firewall Administration Practices, Procedures, and Compliance	X	X	X	X	X
	Adequacy of Requirements for IT Contractor Support	X	X	X	X	
	Effectiveness of IA Vulnerability Alert Procedures	X	X	X	X	
Equipment and	Adequacy of Technology to Support Assigned Missions	X	X	X	X	
Infrastructure	Adequacy of Bandwidth to Support Mission Critical Systems	X	X			
	Adequacy of Connectivity Robustness for Mission Critical Systems	X	X			
	Adequacy and Effectiveness of Survivable Power	X	X	X		
	Adequacy and Effectiveness of Facility Security Systems, Practices, and Procedures	X	X	X	X	
95 Jun 90	Adequacy and Effectiveness of Entry Control Systems for Mission Critical and Infrastructure Facilities	X	X	X		18





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function			
People	Adequacy of IA Personnel Manning	Adequacy of IA Personnel Manning	1. All IA billets must be	The following billets are	C1	90% manned, replacements identified for outbound personnel			
	Levels	Levels	designated per DoD policy xxxx	identified as IA billets	C2	90% manned, replacements not identified for outbound personnel			
			2. All IA billets must be			C3	75% to 89% manned		
					C4	Less than 75% manned			
	Adequacy of IA Personnel Proficiency	Adequacy of IA Operations Personnel	Operations personnel must	The following billets are	C1	All operations personnel have received xx hours of training in last 3 months			
		Proficiency (Maps to Adequacy of	be trained and i	certified by	certified by	certified by	certified by operations billets	C2	All operations personnel have received xx hours of training in last 6 months
		IA Personnel Proficiency Metric)			СЗ	Some personnel have received no training in last 6 months			
			are responsible for		C4	Some operations personnel are not certified to perform their duties			





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function	
People	Adequacy of IA Personnel Proficiency	Adequacy of IA Maintenance Personnel	Maintenance personnel must	The following billets are	C1	80% or more of assigned IA maintenance personnel are mid-skill level qualified or above	
		Proficiency (Maps to Adequacy of IA Personnel	be trained and certified by cognizant	identified as IA maintenance billets	C2	70% or more of assigned IA maintenance personnel are mid-skill level qualified or above	
		Proficiency Metric)	authority for system(s) they are responsible		СЗ	60% or more of assigned IA maintenance personnel are mid-skill level qualified or above	
			for	*	C4	Less than 60% of assigned IA maintenance personnel are mid-skill level qualified or above	
		Adequacy of Information Systems	ISSO personnel must be trained and certified by cognizant authority	must be trained and certified by cognizant	The following billets are	C1	All assigned ISSO personnel have completed formal training and been certified
		Security Office Personnel Proficiency (Maps to Adequacy of IA Personnel			cognizant	identified as ISSO billets	C2
		Proficiency Metric)			СЗ	Some assigned ISSO personnel have completed no formal and/or informal training	
					C4	No assigned ISSO personnel completed any formal and/or informal training	





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function				
People	Adequacy of Security Clearances for	Adequacy of Security Clearances for	1. All privileged user billets must	The following billets are	C1	TBD				
	Privileged Users	Privileged Users	DoD policy xxxx	identified as privileged user billets/positions	C2	TBD				
					СЗ	TBD				
					C4	TBD				
	Effectiveness of Information Systems	Effectiveness of Information Systems	Each IS Security Program must have a charter explicitly promulgated by the installation commander or equivalent	Program must have a charter explicitly	Program must have a charter explicitly	Program must have a charter explicitly	TBD	C1	TBD	
	Security Program	Security Program					explicitly	explicitly promulgated by	explicitly promulgated by	explicitly promulgated by
					СЗ	TBD				
		equivaient		C4	TBD					





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function				
Operations and Training	Adequacy of Automatic/Manual	Adequacy of Automatic/Manual Fail	All mission critical back-up	The following systems are	C1	All systems have auto-fail over capability and were tested successfully within the last month				
	Fail Over Testing for Mission Critical Systems	Over Testing for Mission Critical Systems	systems must provide capabilities as designed, as	designated as mission critical back-up systems	C2	All systems have auto-fail over capability and were tested successfully within the last 2 months				
			required, and within applicable constraints		C3	All systems have auto-fail over capability and were tested successfully within the last 3 months				
					C4	All systems have auto-fail over capability and were not tested successfully within the last 3 months, or some have no auto-fail over capability				
	Adequacy of Performance	Adequacy of Performance	All systems must meet or exceed	Reference applicable system	C1	TBD				
	Measurement for Network Infrastructure and	Measurement for Network Infrastructure and Mission Critical	availability requirements	availability	availability	availability docume	requirements documents for operational	documents for	C2	TBD
	Mission Critical Systems	Systems		availability requirements	СЗ	TBD				
					C4	TBD				





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function			
Operations and Training	Effectiveness of Network Penetration	Effectiveness of Network Penetration	Procedures must be in place & use		C1	TBD			
	Defense Capabilities	Detection and Defense Capabilities	to respond to and report network penetration		C2	TBD			
			activities	activities	activities		C3	TBD	
					C4	TBD			
	Effectiveness of Network Management	Effectiveness of Network Management Auditing Program	Procedures must be in place & use for Continuity of		C1	Perform random audits to measure network security policy compliance. 100% of nets have been audited in last year, 25% in last 3 months			
	Auditing Program		Ops; disaster recovery planning; risk detection & mitigation; use of updated software patches; and use of updated antivirus software and signatures	recovery planning; risk	recovery planning; risk	recovery planning; risk		C2	Perform scheduled audits to measure network security policy compliance. 100% of nets have been audited in last year, 25% in last 3 months
					С3	Perform random or scheduled audits to measure network security policy compliance. LT 100% of nets have been audited in last year, with 25% occurring in last 3 months			
					C4	Less than 25% of installation nets have been audited in last 3 months			





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function			
Operations and Training	Effectiveness of Firewall	Effectiveness of Firewall Administration	Firewalls must not be in factory		C1	Duties performed by dedicated personnel with formal training			
	Administration Practices, Procedures, and Compliance	Practices, Procedures, and Compliance	default configuration		C2	Duties performed as extra-duty by personnel with formal training			
					СЗ	Duties performed by dedicated personnel without formal training			
					C4	Duties performed as extra-duty by personnel without formal training			
	Adequacy of Requirements for Contractor Support	Adequacy of Requirements for Contractor Support	Consideration must be given to the following		C1	TBD			
			contractual items: Response times, minimum qualifications, performance guarantees, security clearances, etc	Response times, minimum qualifications, performance guarantees,	Response times, minimum	Response times, minimum		C2	TBD
						C3	TBD		
					C4	TBD			





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function								
Operations and Training	Effectiveness of Information	Effectiveness of Information Assurance	All DoD elements must		C1	All required actions have been accomplished, and 100% were within time constraints								
	Assurance Vulnerability Alert Procedures	Vulnerability Alert Procedures	comply with IAVA compliance and		C2	All required actions have been accomplished, and 80% were within time constraints								
			reporting requirements						С3	All required actions have been accomplished, and 60% were within time constraints				
					C4	All required actions have not been accomplished								
Equipment and Infrastructure	Adequacy of Technology to Support Assigned	Adequacy of Technology to Support Assigned Mission	Consideration must be given to the following		C1	TBD								
	Mission		items: Age of equipment; and age, capability, robustness of crypto, etc	Age of equipment; and age, capability, robustness of	Age of equipment; and	Age of equipment; and	Age of equipment; and	Age of equipment; and	Age of equipment; and	Age of equipment; and	Age of equipment; and		C2	TBD
						С3	TBD							
					C4	TBD								





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function		
Equipment and Infrastructure	Adequacy of Bandwidth to Support Assigned Mission	Adequacy of Bandwidth to Support Assigned Mission Critical	All DoD elements must measure	The following systems are designated	C1	Installation has sufficient bandwidth such that normal utilization consumes a max of 40% and projected surge is less than 70% of available		
	Critical Systems	Systems	bandwidth for all assigned systems that compete with	Mission Critical Systems	C2	Installation has sufficient bandwidth such that normal utilization consumes a max of 60% and projected surge is less than 80% of available		
			mission critical systems for bandwidth	systems for		C3	Installation has sufficient bandwidth such that normal utilization consumes a max of 80% and projected surge is less than 90% of available	
			resources		C4	Normal utilization consumes more than 80% or projected surge is greater than 90% of available		
	Adequacy of Connectivity Robustness to Support	Adequacy of Connectivity Robustness to Support Assigned	TBD	TBD	C1	All systems have dual circuits available, with dual routing, and no known single points of failure		
	Assigned Mission Critical Systems	Mission Critical Systems					C2	All systems have dual circuits available, with dual routing, and known single points of failure
					C3	All systems have dual circuits available, without dual routing		
					C4	One or more systems are single threaded		





Category	Metric (Aggregated)	Metric (Non-Aggregated)	OSD Criteria	Service Criteria	Rating	Criteria for C2 Function
Equipment and Infrastructure	Adequacy and Effectiveness of Survivable Power	Adequacy and Effectiveness of Survivable Power	TBD	TBD	C1	Systems have auto-switching power that tested successfully in last 3 months
					C2	Systems have auto-switching power that tested successfully in last 6 months
					C3	Systems have auto-switching power that tested unsuccessfully in last 6 months
					C4	Systems have auto-switching power not tested in last 6 months, or no auto-switching power
	Adequacy and Effectiveness of Facility Security Systems, Practices, and Procedures	Adequacy of Connectivity Robustness to Support Assigned Mission Critical Systems	TBD	TBD	C1	Facility is patrolled, fenced, lighted, and has intrusion alarm system
					C2	Facility is patrolled, fenced, and lighted
					C3	Facility is patrolled and fenced
					C4	Facility has no perimeter protection
	Adequacy and Effectiveness of Entry Control Systems for Mission Critical and Infrastructure Facilities	Adequacy and Effectiveness of Entry Control Systems for Mission Critical and Infrastructure Facilities	TBD	TBD	C1	TBD
					C2	TBD
					С3	TBD
					C4	TBD



Activities Current & Forthcoming



- Continue Development of Strawman Framework
- Readiness Assessment Workshop 12-14 July 2000
 - ➤ DoD Agency, Service, Joint Staff and CINC Participation
 - > Formalize Assessment Framework
- Draft Implementing Guidance
- ➤ Beta Test

